




INSTALLATION INSTRUCTIONS

E-Z-GO TXT HEADLIGHTS WITH BEZELS


E-5-35



INSTALLATION




STEP 1:
Align **template A** with body line - Front.




STEP 4:
With all of the templates in place take a black marker and outline (follow along) outer edge of the templates. **CUT 1/8" BELOW THE BODY LINE. DO NOT CUT AT OR ABOVE BODY LINE.**



STEP 2:
Align **template B** with body line - Side.



STEP 5:
Once the cowl is cut away, follow along cowl edge and cut away dust cover.



STEP 3:
Align **template C** with templates A & B and 1/8" below the body line as shown above.




STEP 6:
Place headlight assembly along body line and install screws.

TEMPLATE



**CUT OUT TEMPLATE
ON DOTTED LINE**



TEMPLATE



**CUT OUT TEMPLATE
ON DOTTED LINE**

TEMPLATE



**DRIVER SIDE
(REVERSE FOR PASSENGER SIDE)**

**CUT COWL AT
THIS POINT ONLY**

E-5-35



TEMPLATE



**CUT OUT TEMPLATE
ON DOTTED LINE**



TEMPLATE



**DRIVER SIDE
(REVERSE FOR PASSENGER SIDE)**

E-5-35





Specializing In:

Dashes • Trays • Steering Wheel Covers

Lift Kits • Windshields • Dash Trays • Lights

Cowls • Rear Seat Kits • Wheels and Tires

Steering Wheels • Billet Accessories

Wheel Covers • Storage Covers • Weather Enclosures

Coolers and Brackets • Ball and Club Washers • Mirrors

Ramps • Storage Covers • Sand and Seed Bottles • And More . . .